



User guide

Grounded answers from your organisation's own documents — for partners, customers and staff

Version 1.4 · September 2026

Covers the reader experience (Part 1) and workspace administration (Part 2). imbizo.ai

The screenshots in this guide show a fictional workspace, "Northwind Robotics", with invented documents, people and answers. Your workspace will carry your own brand name or logo and your own collections.

Contents

About this guide

Part 1 — Using Imbizo

1. Signing in
2. Asking a question
3. Reading an answer
4. Follow-ups, new threads and history
5. Opening the source documents

Part 2 — Administering a workspace

6. How access works
7. Documents & collections
8. Teams and the Access matrix
9. Users
10. Monitoring usage
11. Settings
12. Good practices

Appendix

- A. Troubleshooting
- B. Glossary
- C. Data and privacy
- D. Getting help

About Imbizo

About this guide

Imbizo answers questions from the documents your organisation has chosen to share — product manuals, price lists, contracts, presentations, FAQs, recorded videos and web pages. Every answer is written from those sources and cites exactly where each statement came from, down to the page. When the documents do not contain an answer, Imbizo says so instead of guessing.

Who sees what is controlled by **teams**. A partner in the “Gold partners” team sees the folders shared with that team; an integrator sees a different set. Readers never see, search or receive answers from documents outside their access.

This guide has two parts. **Part 1** is for anyone who signs in to ask questions and read documents. **Part 2** is for the System Admins who manage documents, teams, users and settings. A short appendix covers troubleshooting and terminology.

Conventions

Names shown in **bold** are things you can click or see on screen. Text in monospace is something you type. The fictional company Northwind Robotics, its products (the PalletBot P400 warehouse robot and the FleetOS fleet software) and its people are used throughout as examples.

Part 1 — Using Imbizo

1. Signing in

Your administrator creates your account and Imbizo sends you an invitation email. The link in that email lets you choose a password; after that you sign in with your email address and password at your organisation's Imbizo address — for example <https://app.imbizo.ai> or a custom address such as <https://docs.yourcompany.com>. Bookmark the address your administrator gave you.




Figure 1 — The landing page. Click **Sign in** to continue.

The landing page names the operator and links to the privacy notice. Click **Sign in** and you are taken to the sign-in form.




Figure 2 — The sign-in form. Use the email address your invitation was sent to.

- Enter your **username or email** and **password**, then click **Sign in**. You land on the Ask page.
- Forgotten your password? Click **Forgot Password?** and follow the emailed link. Reset links are valid for a limited time; open them in the same browser you use for Imbizo.
- If you ever see a page titled **"Please sign in again"**, nothing is wrong — your sign-in link expired or your password was just changed. Click **Sign in** on that page and you are back in.

Your session

For security, a session ends after about 30 minutes without activity. When that happens a yellow banner appears at the top of the page — “Your session has expired. Sign in again to keep working — you’ll come right back here.” Click **Sign in again**; you usually will not need to re-enter your password. To end a session yourself, click **Sign out** at the bottom of the left-hand menu.

2. Asking a question

The **Ask** page is where you spend most of your time. It opens automatically after sign-in.




Figure 3 — The Ask page before the first question. Sample questions are suggested by your administrator.

- Type your question in the box at the bottom and press **Enter** (use **Shift+Enter** for a new line). You can also click one of the sample questions to try them.
- Ask in whatever language you prefer. Depending on your workspace settings, answers are written either in the language of your question or in one fixed language chosen by your administrator.
- Below the box, **Searching N collections** shows how many collections the answer will draw on. Click it to see their names — these are exactly the collections shared with you.




Figure 4 — Click “Searching N collections” to see which collections your answer will draw on.

An answer typically takes 20–40 seconds because Imbizo first retrieves the relevant passages, then writes an answer strictly from them, then checks each citation. You will see the answer stream in as it is written.

Tips for good questions

- Be specific: “What is the maximum payload of the PalletBot P400?” works better than “payload?”.
- One topic per question. For a comparison, ask for it explicitly: “What are the differences between the Standard and Premium plan?”.
- Use the product names your documentation uses. If your organisation uses abbreviations, both the abbreviation and the full name will usually work — administrators maintain the list (see Part 2).
- If an answer misses something, ask a follow-up in the same thread; Imbizo remembers what the thread is about.

3. Reading an answer




Figure 5 — An answer. The banner names the main source; numbered markers point at the references below.

Every answer has the same shape:

- **This answer is grounded in** — the banner names the document the answer relies on most, and how many further sources were cited.
- **The answer itself**, in one or more paragraphs. Each statement carries a numbered marker such as [1] that identifies the source it was taken from. Clicking a marker jumps to that reference.
- **References** — the numbered list of sources with the page number of the cited passage. Website sources are marked **Website**.
- **Also retrieved** — other passages that were consulted but not cited. They are listed so you can check them yourself.
- **Copy** copies the answer text, so you can paste it into an email or a ticket.




Figure 6 — The references under the first answer, and a follow-up question answered in the same thread.

When there is no answer

If the shared documents do not cover your question, Imbizo replies: “I couldn’t find an answer to that in this workspace’s documents. Try asking about something covered in the material.” This is deliberate — Imbizo will not invent an answer. If the documentation does mention the topic but does not settle it, the answer says so explicitly (for example “the documentation does not specify an operating temperature for the older model”) and gives you the constraints that are documented.




Figure 7 — When the documents do not cover a question, Imbizo says so rather than guessing.

Why answers are trustworthy

Answers are produced only from the documents in your workspace, never from the internet or the model’s general knowledge, and every claim is tied to a page you can open. Administrators can allow general knowledge for their own staff, but partner and customer answers always stay grounded in the documents.

4. Follow-ups, new threads and history

- After an answer, the box changes to **Ask a follow-up....** A follow-up stays in the same thread, so “and for fleets over 50 robots?” is understood in context.
- Click **+ New** to start a fresh thread on a different topic.
- Click **History** to reopen any earlier thread. Your history is private to you.




Figure 8 — History lists your recent questions; click one to reopen the thread.

5. Opening the source documents

Citations are links. Clicking a reference opens the source in a new browser tab:

- For a **PDF or Office document**, the file opens at the cited page, so you can read the passage in context and download the file.
- For a **website source**, the live web page opens with the cited passage highlighted.

You can also browse everything shared with you on the **Documents** page in the left-hand menu. Collections are listed with their documents; click a document to open or download it. You only see collections your teams have been granted.




Figure 9 — The Documents page as a reader sees it: the collections shared with you, with their documents.

Part 2 — Administering a workspace

This part is for **System Admins**. Admins see six extra items in the left-hand menu — Documents & access, Dashboard, Teams, Users, Audit, Questions and Settings — and can do everything a reader can.

6. How access works

Four ideas explain the whole access model:

Concept	What it means
Collection (folder)	A named container of documents. Collections nest: a top-level collection can hold sub-folders, which can hold sub-folders again. A folder is both the way documents are organised and the unit of access control.
Team	A named group of users, for example “Gold partners” or “Integrators”. Teams can be nested under a parent team.
Grant	Sharing a folder with a team. A grant flows down to the folder’s sub-folders, and a parent team’s grant flows down to its child teams.
Block	Stopping a flowed-down grant on one sub-folder (or one child team). A block stays even if the parent is shared again — it is how you keep a “partners only” sub-folder private inside a category that everyone can read.

A user can read a document when at least one of their teams has a grant on the document’s folder that is not blocked. Answers in Ask are computed from exactly that set of documents, so access and answers can never disagree.

The recommended pattern

Organise by category first, then by audience: Business cases → All partners and Business cases → Gold partners only. Share the category with every team; on each “... only” sub-folder, block the inherited tick for every team except the one it belongs to. Readers then see a clean, predictable tree, and adding a new partner type is one team plus one sub-folder per category.

7. Documents & collections




Figure 10 — Documents & access: the collection tree. Each row is a folder; click it to open its panel.

Creating collections

- To create a **top-level collection**, type its name in **New collection** at the top right and click **Add**.
- To create a **sub-folder**, click the parent folder, type a name under **Sub-folders** and click **Add sub-folder**. The + next to a folder name does the same.
- To **rename** a folder, edit **Folder name** in its panel and click **Rename**. The pencil icon next to the name is a shortcut.




Figure 11 — A folder panel: name, sub-folders, documents with their indexing status, reader teams and collection admins.

Adding documents

- Click **Add documents** (at the top, or inside a folder panel) and choose files. Supported: PDF, DOCX, PPTX, spreadsheets, Markdown, audio and video, or a **.zip** of them. Maximum 2 GB per file.

- A **.zip** may hold up to 500 files; its folder structure is recreated as sub-folders, which is the fastest way to load a whole documentation set at once.
- Each document shows a status. **Indexed** means it is searchable and citable; new uploads show a processing state for a few minutes (longer for video, which is transcribed).
- **Add an existing document** files a document that is already in the workspace into this folder as well.
- **remove** takes a document out of the folder. A document in no folder appears under the **Orphaned** tab, is readable by no one, and can be re-filed or deleted from there.

Authoritative documents

When one document is the definitive source for a topic — a canonical price list, an integrations overview, a master specification — an administrator can mark it authoritative using the Boost control on that document in the Documents list. Imbizo then always brings that document forward for its topic, in any language, so questions land on the source of truth rather than a passing mention elsewhere. Boosting doesn't force a document into unrelated answers; it only takes effect when the question is genuinely about that document's subject.

Ingesting a website

Click **Ingest website** to crawl a public site and index its pages. Citations from web pages deep-link to the exact passage on the live page.

Ingest a website

Crawls only the site's own linked pages (never guessed URLs), respects robots.txt, and indexes each page. Citations deep-link back to the exact passage on the live page.

Website URL

Exclude paths (one per line, e.g. /blog)

Limit to path prefix (optional, e.g. /docs)

Max pages

Upper bound on pages crawled (a full site is usually a few hundred to a couple thousand). The crawler also stops after ~1 hour.

Collection

☒ Readable by all teams (public web content)

Figure 12 — The Ingest website dialog.

- **Website URL** — the start page. The crawler follows only the site's own links and respects robots.txt; it never guesses addresses.
- **Exclude paths** — one per line, for example `/blog` or `/careers/*`, to keep marketing or news pages out of the answers.

- **Limit to path prefix** — restrict the crawl to a section such as `/docs`.
- **Max pages** — an upper bound; the crawler also stops after about an hour. A full site is usually a few hundred to a couple of thousand pages.
- **Collection** — where the pages go; **Readable by all teams** is ticked by default because public web content is, by definition, public.

Who can read a folder

The **Teams** — **who can read this** section of the folder panel lists the teams with access and lets you **grant** another. Blocks and the full picture across all folders are easier to see in the Access matrix (next section). **Collection admins** are users who may manage the documents in this folder without being System Admins — appoint one from the dropdown. **Delete collection** removes the folder; its documents become orphaned, not deleted.

8. Teams and the Access matrix




Figure 13 — The Teams tab. Each team lists its members; add someone by email.

Managing teams

- Create a team: type its name at the top right, choose **no parent (top level)** or a parent team, and click **Add**.
- Expand a team to see its members. **Add email** adds a user; an address that is not a user yet is held as a pending invite and applied when that person is invited.
- A child team inherits everything granted to its parent. Use nesting sparingly — a flat list of audiences is easier to reason about.
- **delete** removes a team; its members keep their accounts and their other teams.

The Access matrix




Figure 14 — The Access matrix: folders down the side, teams across the top. Click a cell to share or block.

The matrix shows every folder against every team. Click a cell to change it. The symbols:

Cell	Meaning	What clicking does
Solid tick	Shared here — a grant set on this folder for this team.	Removes the grant.
Dimmed tick	Inherited — from the parent folder or the parent team.	Blocks it for this folder/team.
Red “blocked here”	A block set on this folder for this team. It stays even if the parent is shared again.	Removes the block.
Pale red “blocked by a parent”	Blocked higher up the tree.	Nothing — change it on the parent.
Empty	Not shared.	Shares this folder with this team.

Use the small ► / ▼ arrows to roll a folder or a team up and down.

Worked example — a new partner type

1. On **Teams**, add a top-level team “Silver partners only” and add its members by email.
2. On **Documents**, open each category that needs Silver-specific material (Business cases, Price lists, ...) and add a sub-folder “Silver partners only”.
3. On **Access matrix**, find each new row and tick the **Silver partners only** column. The row now looks like the existing “Gold partners only” rows.
4. Add documents to the new sub-folders, then check the result with **Preview a person’s access** (below).

Checking what a person can see




Figure 15 — Preview a person’s access: choose a person and click “What can they see?”.

Above the matrix, pick a person under **Preview a person’s access** and click **What can they see?**. The dialog lists every collection that person can read and why (“via Partners”, “via Gold partners”). It is the quickest way to verify a change before telling a partner it is done.

9. Users




Figure 16 — Users: the list on the left, the selected user’s panel on the right.

Adding a user




Figure 17 — The Add a user form.

- Click **+ Add**. Choose the **Role** — **User** (reads what their teams are granted) or **System Admin** (manages everything).
- Enter **email**, **first name** and **last name**, tick the **teams** the person belongs to, and leave **Send an email invitation** ticked. Click **Add user**.
- The invitation asks them to set a password; until they do, their status stays pending. **Resend activation email** in the user panel sends it again.

Managing a user

- Select a user to open their panel. **Change email** updates the sign-in address; **Deactivate** blocks sign-in without deleting history.
- Under **Edit user** you can change the role, tick or untick **teams** (their access follows from the teams' grants), and appoint them **Collection admin** of specific collections.
- Use the search box to find people by name or email.

Roles at a glance

User — asks questions and reads the collections their teams are granted. **Collection admin** — a user who may also manage the documents of specific collections. **System Admin** — full control of documents, teams, users and settings. Admins can read everything, so use the Preview tool, not your own account, to check what a partner sees.

10. Monitoring usage

Dashboard




Figure 18 — The Dashboard: headline numbers and questions over time.

- Switch the period with **30d / 90d / 1y / 2y**. The tiles show questions, active users, collections and documents.
- **Question categories** — click **Analyze** to have the AI group recent questions into themes with their volume and citation rate.
- **Documentation gaps** lists the least-grounded questions — those answered with few or no sources. It is your to-do list for new content: if partners keep asking something your documents do not cover, add a document.
- **Most-asked** and **Top askers** show what and who drives usage.




Figure 19 — Documentation gaps: questions the documents answered poorly, with the number of sources used.

Questions

Questions

Every question asked in the workspace — review what people are asking.

61 questions asked (newest 61). [Export CSV](#) [Export JSON](#)

MOST-ASKED

- 2x What does a FleetOS subscription cost per robot, and what is included?
- 2x I received a maintenance notice — when will it be resolved?
- 2x What are the benefits of Imbizo?
- 2x Which WMS vendors are certified for FleetOS?
- 2x How does the P400 behave when a pallet is misaligned?
- 2x What products does Northwind Robotics offer?
- 2x Summarise the safety certifications in two sentences.
- 2x What is the data retention period for fleet logs?

Search questions...

WHEN	WHO	QUESTION	SOURCES
32m ago	Sam Taylor	What does a FleetOS subscription cost per robot, and what is included?	8
12h ago	Sam Taylor	Is there a discount for fleets of more than 50 robots?	3
13h ago	Sam Taylor	Does the P400 support cold storage below -20 °C?	0

Figure 20 — Questions: every question asked, with who asked it and how many sources the answer used.

The **Questions** page lists every question asked in the workspace, newest first, with the asker and the number of sources cited. Click a row to expand the answer. Use the search box to filter, and **Export CSV / JSON** to analyse the log elsewhere.

Audit

Audit

13h ago	Sam Taylor	Ask submitted	9fd90431
13h ago	Sam Taylor	Ask submitted	90bf7e9a
13h ago	Sam Taylor	Ask submitted	fa6d1cda
13h ago	Sam Taylor	Ask submitted	21f9ca81
13h ago	Sam Taylor	Ask submitted	79408214
13h ago	Sam Taylor	Ask submitted	04ab602a
13h ago	Sam Taylor	Ask submitted	06c2b100
13h ago	Sam Taylor	Collection access grant	Installation & configuration · Part... 7e806a3f
13h ago	Sam Taylor	Collection access block	Hardware · Gold partners e3db8c9d
14h ago	Sam Taylor	Collection access revoke	01 Commercial · Partners b404cfe1
14h ago	Sam Taylor	Collection access grant	01 Commercial · Partners b404cfe1
14h ago	Sam Taylor	Collection access revoke	01 Commercial · Partners b404cfe1
14h ago	Sam Taylor	Collection access block	All partners · Commercial e3db8c9d

Figure 21 — Audit: who changed access, collections, teams and users — and when.

The **Audit** log records every administrative action — grants, blocks, revocations, collection changes, team and user changes — with the actor and time, plus each question submitted. Use it to answer “who gave the integrators access to the price list?”.

11. Settings




Figure 22 — Settings: Labels, Answer defaults, Abbreviations and system status.

Labels




Figure 23 — Labels: brand name, logo and the wording of the Ask page.

- **Brand name** is shown in invitation emails, on the sign-in pages and as the top-left wordmark. Upload a **Logo** (PNG, JPEG, WebP, GIF or SVG, up to 512 KB) to replace the wordmark.
- **Ask page** lets you rewrite the heading, introduction, empty-state hint, composer placeholder and the **sample questions** (one per line). Sample questions are the first thing a new partner clicks — choose three that your documents answer well.
- Only changed fields are saved; clearing a field restores the default.

Answer defaults

The screenshot shows the 'Settings' page in the Imbizo interface. The left sidebar contains navigation links: Ask, Documents, Dashboard, Teams, Users, Audit, Questions, and Settings (highlighted). The user profile 'Sam Taylor Admin' is at the bottom. The main content area is titled 'Settings' and 'Answer defaults'. It includes a description: 'Set how answers are produced across your workspace. These apply to every question in Ask — there are no per-question controls.' There are three sections: 'Answer language' with a dropdown set to 'English'; 'Answer style' with a dropdown set to 'Plain' and a note about 'Workspace voice'; and 'General knowledge' with a checkbox 'Include general knowledge in staff answers' which is currently unchecked.

← Settings

Answer defaults

Set how answers are produced across your workspace. These apply to every question in Ask — there are no per-question controls.

Answer language

The language answers are written in. *Auto* matches the language of each question.

English

Answer style

Workspace voice applies the tone distilled in Language Style. **Plain** ignores it and answers in a neutral voice.

Plain

General knowledge

Let answers draw on the model's general knowledge alongside your documents, instead of grounding strictly in retrieved sources. This applies to staff answers only — member answers stay grounded in documents regardless of this setting.

☐ Include general knowledge in staff answers

Figure 24 — Answer defaults: language, style and general knowledge.

- **Answer language** — **Auto** answers in the language of each question; choosing a language (English, Dutch, German, ...) fixes it for everyone. Pick Auto if partners write in more than one language.
- **Answer style** — **Plain** is a neutral voice; **Workspace voice** applies a house style distilled under Language Style (Scale plan).
- **General knowledge** — when ticked, answers for your own staff may draw on the model's general knowledge in addition to the documents. Partner and customer answers always stay strictly grounded, whatever this setting.

Abbreviations

The screenshot shows the 'Abbreviations' page in the Imbizo interface. The left sidebar is the same as in Figure 24. The main content area is titled 'Abbreviations' and includes a description: 'Acronyms the assistant understands. Detected automatically from your documents at upload — define the flagged ones so a question using either the abbreviation or the full name finds the right content.' There is a form to add a new abbreviation with fields for 'Abbreviation' (containing 'WMS') and 'Full name' (containing 'Warehouse management system'), and an 'Add' button. Below this is a table titled 'Defined (17)' listing various abbreviations and their full names, with 'Edit' and 'Delete' links for each row.

Abbreviations

Acronyms the assistant understands. Detected automatically from your documents at upload — define the flagged ones so a question using either the abbreviation or the full name finds the right content.

Abbreviation

WMS

Full name

Warehouse management system

Add

Defined (17)

AGV	Automated guided vehicle	Edit Delete
AMR	Autonomous mobile robot	Edit Delete
API	Application programming interface	Edit Delete
CE	Conformité Européenne (product marking)	Edit Delete
DPO	Data Protection Officer	Edit Delete
ISMS	Information Security Management System	Edit Delete
LiDAR	Light detection and ranging	Edit Delete
OTA	Over-the-air (software update)	Edit Delete
PLC	Programmable logic controller	Edit Delete

Figure 25 — Abbreviations: defined acronyms, and those detected in documents that still need review.

Imbizo detects acronyms in your documents at upload. Define the ones that matter under **Defined** — then a question using either the abbreviation or the full name finds the right passages. Under **Needs review**, either **Save** a definition or **Dismiss** acronyms that are noise. Check auto-suggested definitions before saving; they are extracted from context and are not always right.

Language Style and System status

- **Language Style** teaches the assistant a house voice from writing samples. It is part of the Scale plan — contact your account manager to enable it.
- **System status** (also at `/status`) shows the live availability of the platform, measured independently of the application.

12. Good practices

- Name folders for readers, not for yourself: “Installation guides” beats “02_INST_v3”. Folder names appear in the reader’s Documents page and in the scope chips on Ask.
- Keep public material shared with every team and audience-specific material in “... only” sub-folders. Never put partner-specific files directly in a category folder that every team can read.
- After any access change, use **Preview a person’s access**.
- Watch **Documentation gaps** monthly and add or improve documents for the questions that keep failing.
- Prefer the original PDF or DOCX over scanned images; text that can be selected can be cited.
- Refresh a website ingest when the site changes; re-running a crawl replaces the previous pages.

Appendix

A. Troubleshooting

Symptom	What it means and what to do
“Please sign in again”	Your sign-in link expired or your password was just changed. Click Sign in ; you will not usually be asked for the password again.
Yellow “Your session has expired” banner	You were inactive for a while. Click Sign in again and you return to the same page.
“I couldn’t find an answer to that...”	The shared documents do not cover the question. Rephrase using the terms your documentation uses, or ask your administrator to add the material. Admins: the question appears under Documentation gaps.
A colleague sees a collection I cannot	Access follows teams. Ask your administrator to check your teams on the Users page and to use Preview a person’s access.
A document I uploaded is not cited	Check its status in the folder panel — it must show Indexed . Scanned image PDFs without a text layer cannot be cited; upload the text original.
The reset-password link says it has expired	Links are single-use and time-limited, and some corporate mail scanners open them first. Request a new one and open it in the same browser you use for Imbizo.
Answer is in the wrong language	Administrators: set Answer language to Auto under Settings → Answer defaults.

B. Glossary

Term	Definition
Answer	A response written only from the workspace documents, with a citation for each statement.
Citation / reference	A numbered marker in an answer and the matching entry in the references list: document, page, and a link to the passage.
Collection, folder, sub-folder	A container of documents and the unit of access control. Used interchangeably in the interface.
Grant / block	Sharing a folder with a team, and stopping an inherited share on a sub-folder.
Indexed	A document that has been processed and can be searched and cited.

Term	Definition
Orphaned document	A document in no collection; readable by nobody until re-filed.
System Admin	A user who manages documents, teams, users and settings.
Team	A named group of users that access is granted to.
Thread	A question and its follow-ups. Start a new one with + New .
Workspace	Your organisation's Imbizo — its documents, users and settings, isolated from every other customer.

C. Data and privacy

Your workspace is hosted in the European Union and is isolated from other customers. Answers are generated only from the documents in your workspace; documents are never used to train models. Questions and answers are logged so that administrators can review usage on the Questions and Dashboard pages and see who changed what in the Audit log. The operator's details and the privacy notice are linked from the sign-in pages.

D. Getting help

Partners and customers: contact the administrator at the organisation that invited you.

Administrators: write to hello@imbizo.ai, and check the System status page under Settings before reporting an outage. Product news and the latest version of this guide are at imbizo.ai.

About Imbizo

Imbizo is an answer service for organisations whose products need explaining — to partners, to customers and to their own teams. It reads the documents you already have and answers questions from them, citing the page each statement came from, and it never answers from anything you have not shared with that reader.

The name comes from the Zulu word for a gathering called to share knowledge and settle questions. That is the idea: one place where everyone who works with your products gets the same, verifiable answers from the same sources, instead of a long chain of emails and forwarded PDFs.

Imbizo is built and operated by Wajs B.V. in Haarlem, the Netherlands. Workspaces are hosted in the European Union, each customer's documents are isolated, and nothing you upload is used to train models. Answers are grounded in your material and cited so that they can be checked — the same standard this guide has tried to follow.

Learn more, see a live demonstration or get in touch at imbizo.ai · hello@imbizo.ai

Imbizo User Guide, version 1.4, September 2026. © 2026 Wajs B.V. Product names of other companies are the property of their respective owners. The Northwind Robotics workspace shown in this guide is fictional.